



 pezzolato

Drum chipper **PTH 30.70** series

*Drum wood chipper
with big feeding hopper*

GREENLINE

PTH 30.70



PTH 30.70

It is the basic model of this range, but it is extremely appreciated for its robust frame, one of the typical quality of Pezzolato's chippers.

It guarantees reliability and excellent performance.

The machine is designed to assure easiness in the usage for the operator and to reduce maintenance costs to the minimum.

The main wear parts are especially studied to be

easily changed at reasonable costs.

The chipper can be driven by the tractor's PTO or by autonomous diesel motor.

Thanks to its large hopper, to a big superior roller and an inferior roller that facilitates the dragging of the material into the chipping mechanism, the machine can be fed either manually or with the aid of mechanical means.





PTH 30.70

For the manual feeding, the chipper is equipped with a robust safety bar, for the safer usage of the machine by the operator. The cut system, characterized by a closed drum and an interchangeable calibrating grid according to the different needs, produces uniform and homogeneous chips, suitable also for domestic heaters.


The discharge fan with its large diameter allows the

expulsion of the chips without obstacles through the discharge pipe, equipped with an adjustable deflector at its end.

The electronic NO-STRESS device, which is part of the standard equipment of this model, allows the automatic regulation of the feeding according to the available power.



Closed drum with 3 knives cutting system



Calibrated and homogeneous wood chips

ACCESSORI E ALLESTIMENTI

- ▶ **NO STRESS electronic device**, available on all standard machines, automatically regulates the infeed of material according to the available power
- ▶ **Sieving grids** for chip calibration with different sizes, easy to replace
- ▶ **Radio or cable remote control**, to manage the chippers main activities at a distance
- ▶ **Removable security bar**, for hand or crane feeding
- ▶ **Low- or high-speed towing trailer**, with air or hydraulic brakes
- ▶ **Forestry cranes**, with or without cabin, in customized configuration
- ▶ **"M version" machine**, driven by Diesel engine



TECHNICAL DATA		PTH 30.70
Minimum tractor power:	Hp	70
Maximum tractor power:	Hp	130
Diesel engine power:	Hp	174 - 238
Maximum inlet passage:	mm	640 x 300
Knives:	nr	3
Maximum chipping diameter*:	mm	300
Drum width:	mm	640
Drum diameter:	mm	520
Upper and lower roller width:	mm	640
Hourly troughthput*:	m ³ /h	18 - 25
Weight (PTO version)	Kg	3000

* Diameters and declared production are variable according to the available power, wood type and chip size.



Dealer